



Part Number : 638121100

Series Number : 207124

Product Category : Application Tooling  
Accessories

Product Description : Continuity Test Pen  
Assembly

Status : Active

---

## Documents & Resources

### Specifications

[Application Specification AS-34853-001-001.pdf](#)

[Application Specification AS-34853-001-CH-001.pdf](#)

[Application Specification AS-560065-002-001.pdf](#)

[Application Specification AS-560065-002-CH-001.pdf](#)

[Application Specification AS-98420-003-001.pdf](#)

[Application Specification AS-98420-003-CH-001.pdf](#)

[Application Specification AS-98420-003-FR-001.pdf](#)

### Tooling Specifications

[Application Tooling Specification ATS-638121100-001.pdf](#)

---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Relevant
Low-Halogen Status	Not Relevant
REACH SVHC	Not Reviewed per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Not Reviewed per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

---

## Part Details

### General

Status	Active
Category	Application Tooling Accessories
Series	207124
Description	Continuity Test Pen Assembly
Comments	See Tooling Specification (PDF) Above
Function	Tester
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	toolingsupport@molex.com
Product Family	Application Tooling
Product Name	N/A
Tool Type	Crimp Quality Equipment
UPC	884982723955
Warranty Disclaimer	<p>CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling").</p> <p>When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer.</p> <p>Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.</p>

### Physical

Net Weight	226.000/g
------------	-----------

---

---

This document was generated on Jun 04, 2024