

Insulated cross-connector, No. of poles: 9, Mounting type: Plug in, Width: 44.8 mm, Rated cross-section: 2.5 mm², Colour: Black

RAL: 9005

Business data

Article number	3717.4
Article name	ZQI 2,5/9 BK
GTIN (EAN)	4044211111335
Packaging unit	10
Quantity unit	PC
Weight per piece (not including packaging)	5.2 g
Weight per piece (including packaging)	5.24 g
Unit of weight	G
Customs number	85389099
Country of origin	CZ
Prio-Article	3717.8
Product description	Insulated cross-connector



Technical data

Dimensions	
Length	4.5 mm
Width	44.8 mm
Pitch size	5 mm
Ratings	
Voltage with partition, max.	800 V
Voltage without partition, max.	800 V
Rated current	24 A
Rated cross-section	2.5 mm ²
Contamination degree	3
Connection data	
No. of poles	9
Materials	
Material	Copper alloy
Surface	Tin-plated
Insulation housing	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C
Further technical data	
Mounting type	Plug in
Insulation available	\checkmark
Touch protection is available	\checkmark
Number of bridged terminals	9
Environmental Product Compliance	
REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

Media





Accessories

##INVERSE##CONTA-CONNECT

®	Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross- section: 2.5 mm², Width: 5.1 mm, Colour: Beige				
c FL [®] us	Article number	Article name	GTIN (EAN)	Packaging unit	
	<u>17481.2</u>	ZST 2,5/1/1A/Q BG	4044211205201	50 ST	
-	Feed-through te	erminal, Tension-spring connection, Mour	nting type: Plug in, Rate	d cross-	



section: 2.5 mm², Width: 66.3 mm, Colour: Beige

- /	Article number	Article name	GTIN (EAN)	Packaging unit
	17493.2	ZST 2,5/13/1A/Q BG	4044211205324	10 ST



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 71.4 mm, Colour: Beige

l	Article number	Article name	GTIN (EAN)	Packaging unit
	17494.2	ZST 2,5/14/1A/Q BG	4044211205331	10 ST

Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3653.2	ZRKS 2,5/2A/2S BG	4044211177683	100

Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3652.2	ZRKS 2,5/2A/1S BG	4044211177676	100

Feed-through terminal, Plug-in connection, Mounting type: Mounting rail TS 35/7.5, Width: 5.1 mm, Colour: Beige

Ģ	Article number	Article name	GTIN (EAN)	Packaging unit
	3655.2	ZRKS 2,5/2S BG	4044211177706	100



##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 56.1 mm, Colour: Beige



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 76.5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17495.2	ZST 2,5/15/1A/Q BG	4044211205348	10 ST



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 816 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17496.2	ZST 2,5/16/1A/Q BG	4044211205355	10 ST



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3650.2	ZRKS 2,5/1A/1S BG	4044211177652	100



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3651.2	ZRKS 2,5/1A/2S BG	4044211177669	100



##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 51 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17490.2	ZST 2,5/10/1A/Q BG	4044211205294	25 ST

Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3673.2	ZST 2,5/1A/Q/Z BG	4044211177843	100



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 20.4 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17484.2	ZST 2,5/4/1A/Q BG	4044211205232	50 ST



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 35.7 mm, Colour: Beige

R	Article number	Article name	GTIN (EAN)	Packaging unit
	17487.2	ZST 2,5/7/1A/Q BG	4044211205263	25 ST

Feed-through terminal, Plug-in connection, Mounting type: Mounting rail TS 35/7.5, Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3654.2	ZRKS 2,5/4S BG	4044211177690	100



##INVERSE##CONTA-CONNECT

Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 10.2 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17482.2	ZST 2,5/2/1A/Q BG	4044211205218	50 ST

Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 15.3 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17483.2	ZST 2,5/3/1A/Q BG	4044211205225	50 ST

Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 40.8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17488.2	ZST 2,5/8/1A/Q BG	4044211205270	25 ST

Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 61.2 mm, Colour: Beige

c FL ® us	Article number	Article name	GTIN (EAN)	Packaging unit
	17492.2	ZST 2,5/12/1A/Q BG	4044211205317	10 ST



EHC

E M A E U R

> Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3672.2	ZST 2,5/1A/Q BG	4044211177836	100

Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 30.6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17486.2	ZST 2,5/6/1A/Q BG	4044211205256	25 ST



##INVERSE##CONTA-CONNECT

	Feed-through terminal for direct mount, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Black-yellow			
	Article number	Article name	GTIN (EAN)	Packaging unit
	3638.2	ZSLN 2,5/2A-D BKYE	4044211080570	100 ST
	Ū.	terminal for direct mount, Tension-sprin ace, Rated cross-section: 2.5 mm², Wic	-	
				Packaging
U Contraction of the second se	Article number	Article name	GTIN (EAN)	unit
U	Article number 3639.2	Article name ZSLN 2,5/2A-RC BKYE	GTIN (EAN) 4044211080556	
	3639.2 Feed-through t		4044211080556	unit 100 ST ng type:
	3639.2 Feed-through t	ZSLN 2,5/2A-RC BKYE	4044211080556	unit 100 ST ng type: