# EBP 2-5-Insertion bridge



https://www.phoenixcontact.com/us/products/1733169



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Insertion bridge for connectors with 5.0 mm or 5.08 mm pitch



## Commercial data

Item number	1733169
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	AA08
Product key	AAHZFC
Catalog page	Page 829 (C-1-2013)
GTIN	4017918026509
Weight per piece (including packing)	0.58 g
Weight per piece (excluding packing)	0.352 g
Customs tariff number	85366990
Country of origin	PL

# EBP 2-5 - Insertion bridge

1733169

https://www.phoenixcontact.com/us/products/1733169



## Technical data

## Product properties

Product type	Bridge
Product family	EBP
Product line	COMBICON Connectors Special
Number of positions	2
Pitch	5 mm
Number of connections	2
Number of rows	1
Number of potentials	2

## Electrical properties

Degree of pollution	3

#### Connection data

Maximum load current	24 A (depending on the use)
	· · · · · · · · · · · · · · · · · · ·

#### **Dimensions**

Pitch	5 mm
-------	------

## Material specifications

### Material data - contact

Note	WEEE/RoHS-compliant, free of whiskers according to IEC 60068-2-82/JEDEC JESD 201
Contact material	Cu alloy
Surface characteristics	Tin-plated

## Material data - housing

Material data - nousing	
Color (Housing)	gray (7042)
Insulating material	PA
Insulating material group	I
CTI according to IEC 60112	600
Flammability rating according to UL 94	V0
Glow wire flammability index GWFI according to EN 60695-2-12	850
Glow wire ignition temperature GWIT according to EN 60695-2-13	775
Temperature for the ball pressure test according to EN 60695- 10-2	125 °C

### Connector

#### Connection 1

Insulating material	PA
CTI according to IEC 60112	600

# EBP 2-5-Insertion bridge



https://www.phoenixcontact.com/us/products/1733169



# Classifications

### **ECLASS**

ECLASS-11.0	27460406
ECLASS-13.0	27460406
ECLASS-12.0	27460406
ETIM	
ETIM ETIM 9.0	EC002943

## **UNSPSC**

# EBP 2-5-Insertion bridge

1733169

https://www.phoenixcontact.com/us/products/1733169



# Environmental product compliance

### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com