

2201917

https://www.phoenixcontact.com/us/products/2201917

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Jumper for PCO power connector in ME-MAX housing, color: gray (similar to RAL 7042)

Your advantages

- · Distribute high currents between modules
- · Mounting and removal of modules in a group
- · Simplified device system wiring saves money

Commercial data

Item number	2201917
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	AC08
Product key	ACHADZ
Catalog page	Page 38 (NTK-2014)
GTIN	4046356933933
Weight per piece (including packing)	47.41 g
Weight per piece (excluding packing)	40.788 g
Customs tariff number	85389099
Country of origin	DE



2201917

https://www.phoenixcontact.com/us/products/2201917

Technical data

Product properties

Housing material

	·		
	Product type	Bridge	
	Housing type	Component housing	
	Housing series	ME-MAX	
Electrical properties			
	Nominal current I _N	42 A	
Dimensions			
	Length	500 mm	
Material specifications			
	Color	light grey	
	Flammability rating according to UL 94	V0	

Polyamide



2201917

https://www.phoenixcontact.com/us/products/2201917

Classifications

UNSPSC 21.0

ECLASS

	ECLASS-11.0	27141140
	ECLASS-12.0	27141140
	ECLASS-13.0	27250303
ETIM		
	ETIM 9.0	EC000489
UNSPSC		

39121400



2201917

https://www.phoenixcontact.com/us/products/2201917

Environmental product compliance

EU R	oHS
------	-----

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%



2201917

https://www.phoenixcontact.com/us/products/2201917

Accessories

PCO 22,5-L KMGY - Power connector

2201685

https://www.phoenixcontact.com/us/products/2201685



Power connector for ME-MAX housing, design width: 22.5 mm, 2-pos., used to transmit a total current of up to 42 A at 60 V DC.

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com