

https://www.phoenixcontact.com/us/products/2864639



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Flexible wire loop bridge, 50-pos., conductor cross-section: $0.5~\mathrm{mm}^2$, loop length: 90 mm, ferrule length: 8 mm, color: red



Commercial data

Item number	2864639
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	C460
Product key	CK611Z
GTIN	4017918896515
Weight per piece (including packing)	37.1 g
Weight per piece (excluding packing)	35.8 g
Customs tariff number	85369010
Country of origin	DE



https://www.phoenixcontact.com/us/products/2864639



Technical data

_				
Ρ	radı	ICT.	nror	perties

Product type	Loop bridge
Material specifications	
Color	red (RAL 3001)
Cable/line	
Cable cross section	0.5 mm²



https://www.phoenixcontact.com/us/products/2864639



Classifications

UNSPSC 21.0

ECLASS

	ECLASS-11.0	27371692
	ECLASS-12.0	27371692
	ECLASS-13.0	27371692
ET	IM	
	ETIM 9.0	EC002586
LINI	SPSC	
UN	3730	

39122300

2864639

https://www.phoenixcontact.com/us/products/2864639



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com