

Data sheet | Item number: 2002-423/000-006
Continuous jumper; from 1 to 3; insulated; blue

www.wago.com/2002-423/000-006



Data

Electrical data

Ratings per IEC/EN

Nominal voltage (III/3)	800 V
Rated impulse voltage (III/3)	8 kV
Rated current	25 A

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Physical data

Width	10.9 mm / 0.429 inches
Height	4.1 mm / 0.161 inches
Depth	18.5 mm / 0.728 inches
Jumper assignment	1-3

Material data

Note (material data)	Information on material specifications can be found here
Color	blue
Fire load	0.008 MJ
Weight	0.9 g

Commercial data


eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 8.0	EC000489
ETIM 7.0	EC000489
ECCN	NO DATA
PU (SPU)	25 pcs
Packaging type	bag
Country of origin	DE
GTIN	4055143690959
Customs tariff number	85366990990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Approvals / Certificates

Declarations of conformity and manufacturer's declarations

Logo	Approval	Additional Approval Text	Certificate name
	Railway WAGO GmbH & Co. KG	-	Railway Ready

Subject to changes. Please also observe the further product documentation!



Downloads

Documentation

Bid Text

2002-423/000-006 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
---------------------------------	--------------	---------------	----------

2002-423/000-006 doc - Datei	2017 年4月27 日	doc 24.1 kB	Download
---------------------------------	--------------	----------------	----------

Additional Information

		pdf 2.3 MB	Download
--	--	---------------	----------

CAD/CAE-Data

CAE data

EPLAN Data Portal 2002-423/000-006		URL	Download
------------------------------------	--	-----	----------

WSCAD Universe 2002-423/000-006		URL	Download
---------------------------------	--	-----	----------

ZUKEN Portal 2002-423/000-006		URL	Download
-------------------------------	--	-----	----------

EPLAN Data Portal 2002-423/000-006		URL	Download
------------------------------------	--	-----	----------

WSCAD Universe 2002-423/000-006		URL	Download
---------------------------------	--	-----	----------

CAD data

2D/3D Models 2002-423/000-006		URL	Download
-------------------------------	--	-----	----------

Asset Administration Shell

Asset Administration Shell 2002-423/000-006		URL	Download
---	--	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2002-423/000-006		URL	Download
---	--	-----	----------

Subject to changes. Please also observe the further product documentation!

Continuous jumper; from 1 to 3; insulated; blue


Installation Notes

Commoning



The 1-to-3 adjacent jumper for continuous commoning enables every other terminal block to be commoned. For example, positive and negative potentials can be accommodated alongside each other.

Commoning



By combining a 1-to-2 continuous jumper with a 1-to-3 adjacent jumper, various commoning applications can be performed in just one jumper slot.

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!