

Data sheet | Item number: 282-432/100-000

Jumper; 2-way; insulated; orange

www.wago.com/282-432/100-000



Data

Electrical data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

**Ratings per IEC/EN**

Rated current	30 A
---------------	------

Physical data

Jumper assignment	1-2
-------------------	-----

Material data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.026 MJ
Weight	2.8 g

Environmental requirements

Processing temperature	-35 ... +85 °C
Continuous operating temperature	-60 ... +105 °C

Commercial data

eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 8.0	EC000489
ETIM 7.0	EC000489
ECCN	NO DATA
PU (SPU)	50 (10) pcs
Packaging type	Box
Country of origin	DE
GTIN	4050821096368
Customs tariff number	85366990990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Subject to changes. Please also observe the further product documentation!



Downloads

Documentation

Bid Text

282-432/100-000 X81 - Datei	2019 年2月19日	xml 2.6 kB	Download
--------------------------------	-------------	---------------	----------

282-432/100-000 doc - Datei	2017 年3月3日	doc 24.1 kB	Download
--------------------------------	------------	----------------	----------

Additional Information

Technical Section Technical explanations		pdf 2.3 MB	Download
---	--	---------------	----------

CAD/CAE-Data

CAE data

WSCAD Universe 282-432/100-000		URL	Download
--------------------------------	--	-----	----------

WSCAD Universe 282-432/100-000		URL	Download
--------------------------------	--	-----	----------

Environmental Product Compliance


Compliance Search

Environmental Product Compliance 282-432/100-000 Jumper; 2-way; insulated; orange		URL	Download
--	--	-----	----------


Installation Notes

Commoning


Subject to changes. Please also observe the further product documentation!




Jumper with safety lid
Jumper in pre-locked position



Jumper with safety lid
Longitudinal switching disconnect terminal
blocks with inserted jumper, including safety lid



Jumper with safety lid
Jumper with raised safety lid




Jumper with safety lid
Removing a jumper via safety lid.

Subject to changes. Please also observe the further product documentation!



Jumper with safety lid
Remove jumper via operating tool.



Jumper with safety lid
Remove jumper via operating tool.

Subject to changes. Please also observe the further product documentation!