

Data sheet | Item number: 283-422

Jumper; insulated; yellow-green

www.wago.com/283-422



Data

Electrical data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Ratings per IEC/EN

| | |
|---------------|------|
| Rated current | 70 A |
|---------------|------|

Ex information

| | |
|-------------------------|------|
| Rated current (Ex e II) | 63 A |
|-------------------------|------|

Physical data

| | |
|-------------------|----------------------|
| Width | 12 mm / 0.472 inches |
| Height | 13 mm / 0.512 inches |
| Jumper assignment | 1-2 |

Material data

| | |
|----------------------|--|
| Note (material data) | Information on material specifications can be found here |
|----------------------|--|

| | |
|-----------|--------------|
| Color | yellow-green |
| Fire load | 0.031 MJ |
| Weight | 6.7 g |

Commercial data

| | |
|-----------------------|----------------------------------|
| Product Group | 1 (Rail Mounted Terminal Blocks) |
| eCl@ss 10.0 | 27-14-11-40 |
| eCl@ss 9.0 | 27-14-11-40 |
| ETIM 8.0 | EC000489 |
| ETIM 7.0 | EC000489 |
| ECCN | NO DATA |
| PU (SPU) | 50 (25) pcs |
| Packaging type | box |
| Country of origin | DE |
| GTIN | 4044918396349 |
| Customs tariff number | 85366990990 |

Environmental Product Compliance

| | |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

Subject to changes. Please also observe the further product documentation!



Downloads

Documentation

Bid Text

| | | | |
|------------------------|--------------|---------------|----------|
| 283-422 X81 - Datei | 2019 年2月19 日 | xml 2.5 kB | Download |
|------------------------|--------------|---------------|----------|

| | | | |
|------------------------|-------------|----------------|----------|
| 283-422 doc - Datei | 2017 年5月2 日 | doc 24.1 kB | Download |
|------------------------|-------------|----------------|----------|

Additional Information

| | | | |
|--|--|---------------|----------|
| | | pdf 2.3 MB | Download |
|--|--|---------------|----------|

CAD/CAE-Data

CAD data

| | | | |
|----------------------|--|-----|----------|
| 2D/3D Models 283-422 | | URL | Download |
|----------------------|--|-----|----------|

CAE data

| | | | |
|------------------------|--|-----|----------|
| WSCAD Universe 283-422 | | URL | Download |
|------------------------|--|-----|----------|

| | | | |
|---------------------------|--|-----|----------|
| EPLAN Data Portal 283-422 | | URL | Download |
|---------------------------|--|-----|----------|

| | | | |
|----------------------|--|-----|----------|
| ZUKEN Portal 283-422 | | URL | Download |
|----------------------|--|-----|----------|

Asset Administration Shell

| | | | |
|------------------------------------|--|-----|----------|
| Asset Administration Shell 283-422 | | URL | Download |
|------------------------------------|--|-----|----------|

Environmental Product Compliance


Compliance Search

| | | | |
|---|--|-----|----------|
| Environmental Product Compliance 283-422 Jumper; insulated; yellow-green | | URL | Download |
|---|--|-----|----------|

Subject to changes. Please also observe the further product documentation!

Installation Notes

Commoning



Commoning ground conductor terminal blocks with through terminal blocks is possible in one direction only (via rear side of terminal block) using adjacent jumpers. WAGO recommends using yellow-green adjacent jumpers in addition to the required marking of these blocks.

Subject to changes. Please also observe the further product documentation!