


**Data sheet | Item number: 793-482**

WMB marking card; as card; MARKED; 501, 503, 505, ..., 599 and 502, 504, 506, ..., 600 (1x); not stretchable; Horizontal marking; snap-on type; white

[www.wago.com/793-482](http://www.wago.com/793-482)



**Data**

**Technical data**

|                             |                                                     |
|-----------------------------|-----------------------------------------------------|
| Marking method              | Thermal transfer                                    |
| Marking                     | 501, 503, 505, ..., 599 and 502, 504, 506, ..., 600 |
| Marking (number)            | 1                                                   |
| Marking direction           | Horizontal marking                                  |
| Marking color               | black                                               |
| Marking type                | Numbers                                             |
| Marking differentiation     | Consecutive numbers per strip                       |
| Delivery form               | Marker card                                         |
| Delivery form configuration | 10 strips with 10 markers per card                  |
| Flammability class per UL94 | V2                                                  |

**Physical data**

|                    |      |
|--------------------|------|
| Marker/strip width | 5 mm |
| Marker width       | 5 mm |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Mechanical data

|                  |                 |
|------------------|-----------------|
| Smear resistance | EN 60998-1:2004 |
|------------------|-----------------|

## Material data

|               |                               |
|---------------|-------------------------------|
| Color         | white                         |
| UV resistance | EN 60068-2-5:2010 Procedure B |
| Halogen-free  | Yes                           |
| Weight        | 8.8 g                         |
| Fire load     | 0.264 MJ                      |

## Commercial data

|                       |                                |
|-----------------------|--------------------------------|
| Product Group         | 2 (Terminal Block Accessories) |
| eCl@ss 10.0           | 27-14-11-37                    |
| eCl@ss 9.0            | 27-14-11-37                    |
| ETIM 8.0              | EC000761                       |
| ETIM 7.0              | EC000761                       |
| ECCN                  | NO DATA                        |
| PU (SPU)              | 50 (5) pcs                     |
| Packaging type        | box                            |
| Country of origin     | DE                             |
| GTIN                  | 4017332589673                  |
| Customs tariff number | 49119900000                    |

## Environmental Product Compliance

|                        |                         |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

## Downloads

### Environmental Product Compliance

#### Compliance Search

|                                                                                                                                                       |     |          |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|
| Environmental Product Compliance 793-482                                                                                                              | URL | Download |
| WMB marking card; as card; MARKED; 501, 503, 505, ..., 599 and 502, 504, 506, ..., 600 (1x); not stretchable; Horizontal marking; snap-on type; white |     |          |

## Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.


## Application




Separating a strip from the WMB or WMB marker card.



Stretching a WMB marker strip.




Separating an individual marker from the WMB marker strip – for larger terminal blocks.




Snapping a marking strip into the marker slot.

## Marking



Snapping a WMB marker strip into the marker slot of the double marker carrier.



Snapping a marking strip into the marker slot.

## Product family

### WMB Multi marking system

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.