




TE Internal #: 966067-6

Crimp Wire Pins, Tabs & Ferrules, Ferrule, 18 AWG Wire Size, .75 mm² Wire Size, 1624 CMA Wire Size, .101 in [2.8 mm] Barrel Inside Diameter, Closed

[View on TE.com >](#)

Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Terminal Type: **Ferrule**

Compatible Insulation Diameter Range: **2.7 mm [ .106 in ]**

Wire Size: **1624 CMA**

Features

Product Type Features

|                                    |          |
|------------------------------------|----------|
| Sealable                           | No       |
| Compatible With Discrete Wire Type | Stranded |

Configuration Features

|                                   |               |
|-----------------------------------|---------------|
| Compatible With Wire & Cable Type | Discrete Wire |
|-----------------------------------|---------------|

Body Features

|                       |      |
|-----------------------|------|
| Primary Product Color | Gray |
|-----------------------|------|

Contact Features

|                            |               |
|----------------------------|---------------|
| Contact Mating Area Length | 10 mm[.39 in] |
| Crimp Wire Terminal Type   | Ferrule       |
| Barrel Type                | Closed        |
| Terminal Plating Material  | Tin           |
| Terminal Orientation       | Straight      |

Mechanical Attachment

|                         |         |
|-------------------------|---------|
| Wire Insulation Support | Without |
|-------------------------|---------|

Dimensions

|  |  |
|--|--|
|  |  |
|--|--|



|                                      |                 |
|--------------------------------------|-----------------|
| 2-Wire Size                          | 18 AWG          |
| Strip Length                         | 12 mm[.472 in]  |
| Compatible Insulation Diameter Range | 2.7 mm[.106 in] |
| Wire Size                            | 1624 CMA        |
| Barrel Inside Diameter               | 2.8 mm[.101 in] |
| Terminal Material Thickness          | .15 mm[.005 in] |
| Overall Product Length               | 16 mm[.63 in]   |

Usage Conditions

|                             |                     |
|-----------------------------|---------------------|
| Insulation Option           | Partially Insulated |
| Operating Temperature Range | 105 °C[221 °F]      |

Packaging Features

|                    |     |
|--------------------|-----|
| Packaging Quantity | 500 |
| Packaging Method   | Box |

Product Compliance

For compliance documentation, visit the product page on TE.com>

|   |  |
|---|--|
| EU RoHS Directive 2011/65/EU                  | Compliant  |
| EU ELV Directive 2000/53/EC                   | Compliant  |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold  |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2024 (240)<br>Candidate List Declared Against: JUNE 2023 (235)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free  |
| Solder Process Capability                     | Not applicable for solder process capability   |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 539660-1  
ADERENDHUELSEN (Ferrule) Crimp Tool

TE Part # 1SET191003R0000  
FER-SE-HT

Customers Also Bought

TE Part # 966144-2  
FER,WIRE,DBL,PL SLV,.75/18,L8,GREY,LP

TE Part # 966067-4  
FER,WIRE,PL SLV,.75/18,L6,GREY,LP

TE Part # 1-966067-7  
FER,WIRE,PL SLV,2.50/14,L12,BLUE,LP

TE Part # 1-966067-4  
FER,WIRE,PL SLV,1.50/16,L12,BLACK,LP

TE Part # 966067-1  
FER,WIRE,PL SLV,.50/20,L6,WHITE,LP

TE Part # 966067-9  
FER,WIRE,PL SLV,1.00/18,L8,RED,LP

TE Part # 1-966067-9  
FER,WIRE,PL SLV,4.00/12,L10,GREY,LP

TE Part # 160018-2  
RING TONGUE 176 20-16 AWG 0.251 NIBR

TE Part # 1676979-3  
TW 1W 1K 6.35X25PL

TE Part # 1-966144-0  
FER,WIRE,DBL,PL SLV,4.00/12,L12,GREY,LP

Documents

Product Drawings  
FER,WIRE,PL SLV,.75/18,L10,GREY,LP  
English



CAD Files

3D PDF

English

Customer View Model

ENG\_CVM\_966067-6\_B1.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_966067-6\_B1.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_966067-6\_B1.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Wire Ferrules

English

WIRE END FERRULES

English

Agency Approvals

CSA Certificate

English