
# 966144-6 - ACTIVE

TE Internal #: 966144-6 Crimp Wire Pins, Tabs & Ferrules, Ferrule, 16 AWG Wire Size, 1.5 mm<sup>2</sup> Wire Size, .087 in [2.2 mm] Barrel Inside Diameter, Closed, Tin Plating

#### View on TE.com >

connectivity

Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Terminal Type: Ferrule

Wire Size: 1.5 mm<sup>2</sup>

Barrel Inside Diameter: 2.2 mm [.087 in ]

Barrel Type: Closed

### Features

### **Product Type Features**

Terminal Features	Double Wire
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Body Features	
Sleeve Material	Copper
Insulation Material	PP
Primary Product Color	Black
Contact Features	
Contact Mating Area Length	12 mm[.468 in]
Contact Mating Area Plating Material Thickness	118.11 μm[130 μin]
Crimp Wire Terminal Type	Ferrule
Barrel Type	Closed

**C** For support call+1 800 522 6752

### 966144-6

Crimp Wire Pins, Tabs & Ferrules, Ferrule, 16 AWG Wire Size, 1.5 mm² Wire Size, .087 in [2.2 mm] Barrel Inside Diameter, Closed, Tin Plating



Terminal Plating Material	Tin
Contact Shape & Form	Round
Terminal Orientation	Straight
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
2-Wire Size	16 AWG
Strip Length	12 mm[.472 in]
Wire Size	1.5 mm <sup>2</sup>
Barrel Inside Diameter	2.2 mm[.087 in]
Terminal Material Thickness	.15 mm[.006 in]
Overall Product Length	16 mm[.63 in]
Usage Conditions	
Insulation Option	Partially Insulated
Operating Temperature Range	105 °C[221 °F]
Packaging Features	
Packaging Quantity	500

### Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability
Product Compliance Disclaimer	


#### 966144-6

Crimp Wire Pins, Tabs & Ferrules, Ferrule, 16 AWG Wire Size, 1.5 mm<sup>2</sup> Wire Size, .087 in [2.2 mm] Barrel Inside Diameter, Closed, Tin Plating




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

### **Compatible Parts**



## **Customers Also Bought**





### 966144-6

Crimp Wire Pins, Tabs & Ferrules, Ferrule, 16 AWG Wire Size, 1.5 mm<sup>2</sup> Wire Size, .087 in [2.2 mm] Barrel Inside Diameter, Closed, Tin Plating





### Documents

**Product Drawings** FER,WIRE,DBL,PL SLV,1.50/16,L8,BLACK,LP

English

**CAD** Files

3D PDF

English

**Customer View Model** 

ENG\_CVM\_966144-6\_B2.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_966144-6\_B2.3d\_igs.zip

English

Customer View Model

### ENG\_CVM\_966144-6\_B2.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

### Datasheets & Catalog Pages **BUCHANAN TERMINAL BLOCKS CATALOG - EUROSTYLE TERMINAL BLOCKS**

English

Wire Ferrules

English

WIRE END FERRULES

English

Agency Approvals CSA Certificate

English