

April 21, 2022

To Whom It May Concern:

We have made a difficult decision to suspend new orders of data acquisition instruments 2638A, 2680A, our benchtop digital voltmeter's models 8845A and 8846A, and all unique accessories that accompany these product lines. We know this will have an impact on your business and we apologize for any inconvenience caused. Unfortunately, limited availability of electrical components in the marketplace is driving us to take this action swiftly.

Our procurement teams are continuing to search the market for available materials. We will concentrate on securing supply to manufacture existing orders and provide service for our installed base of products first. We will then take into consideration our ability to accept and deliver additional new orders prior to final discontinuation of production of these products. A follow on communication will be sent in the event we can do so.

Going forward, we will refer customers to the Keithley product lines below as suggested alternatives.

2638A > Fluke 1586 or Keithley DAQ6510 with proper modules

2680A > Keithley DAQ6510 with proper modules

8845A > Keithley 2100

8846A > Keithley DMM6500

Comparative tables below for reference please follow links to the appropriate product for detail information.

Continue -

Class	5.5-digit (Still Active)		6.5-digit			
Brand	Keithley	Fluke	Keithley	Keithley	Fluke	Fluke
Model	2110	8808A	2100	DMM6500	8845A	8846A
DC Voltage						
Ranges	100 mV to 1,000 V	200 mV to 1,000 V	100 mV to 1,000 V	100 mV to 1,000 V	100 mV to 1,000 V	100 mV to 1,000 V
Resolution, best	1 μ V	1 μ V	100 nV	100 nV	100 nV	100 nV
Uncertainty @10V (1 Year)	0.012 + 0.002	0.015 + 0.004	0.0038 + 0.0006	0.0025 + 0.0005	0.0035 + 0.0005	0.0024 + 0.0005
AC Voltage						
Ranges	100 mV to 750 V rms	200 mV to 750 V rms	100 mv to 750 V rms	100 mV to 750 V rms	100 mV to 750 V rms	100 mV to 1,000 V rms
Resolution, best	1 μ V	1 μ V	0.1 μ V	100 nV	100 nV	100 nV
Uncertainty @10V @1kHz (1 Year)	0.12 + 0.05	0.2 + 0.05	0.08 + 0.04	0.06 + 0.03	0.06 + 0.03	0.06 + 0.03
Frequency	300 kHz	100 kHz	300 kHz	300 kHz	300 kHz	300 kHz
DC Current						
Ranges	10 mA to 10 A	200 μ A to 10 A	10 mA to 3 A	10 μ A to 10 A	100 μ A to 10 A	100 μ A to 10 A
Resolution, best	0.1 μ A	0.001 μ A	10 nA	10 pA	100 pA	100 pA
Uncertainty @100mA (1 Year)	0.05 + 0.010	0.03 + 0.008	0.055 + 0.006	0.020 + 0.005	0.05 + 0.005	0.05 + 0.005
AC Current						
Ranges	1 A to 10 A	20 mA to 10 A	1 A to 3 A	100 μ A to 10 A	10 mA to 10 A	100 μ A to 10 A
Resolution, best	10 μ A	0.1 μ A	1 μ A	100 pA	10 nA	100 pA
Uncertainty @1A @20Hz (1 Year)	0.3 + 0.06	1.25 + 0.06	0.40 + 0.05	0.10 + 0.04	0.1 + 0.04	0.1 + 0.04
Frequency	5 kHz	2 kHz	5 kHz	10 kHz	10 kHz	10 kHz
Resistance						
Range	100 Ω to 100 M Ω	200 Ω to 100 M Ω	100 Ω to 100 M Ω	1 Ω to 100 M Ω	100 Ω to 100 M Ω	10 Ω to 1 G Ω
Resolution, best	1 m Ω	0.001 Ω	100 $\mu\Omega$	1 $\mu\Omega$	100 $\mu\Omega$	10 $\mu\Omega$
Uncertainty @10k Ω (1 Year)	0.02 + 0.002	0.02 + 0.003	0.013 + 0.002	0.0075 + 0.0006	0.01 + 0.001	0.01 + 0.001

<https://www.tek.com/en/products/keithley/digital-multimeter/2100-series>

<https://www.tek.com/en/products/keithley/digital-multimeter/dmm6500>

Continue -

	Fluke		Fluke			Keithley	
	2638A		2680A	PAI	FAI	DAQ6510	
DC Volts						Accuracy $\pm$ (% of reading + % of range)	
	Range	100 mV to 300 V		90mV : 300V	90mV : 50V	100 nV : 1010 V	
	Resolution:	0.1 μ V to 1 mV		0.3 μ V : 3 mV	3 μ V : 1 mV	100 nV : 1 mV	
	Accuracy:	0.0024%		.02%+7 μ V	.01%+20 μ V	0.0025 + 0.0006	
AC Volts							
	Range	100 mV to 300 V		300mV : 300V	300mV : 300V	100mV : 750V	
	Resolution:	0.1 μ V to 1 mV		0.3 μ V : 3 mV	10 μ V : 1 mV	100 nV : 100 μ V	
	Accuracy:	0.11%		0.4%+25 mV	0.4%+25 mV	0.07% + 0.03%Rng	
Resistance							
	Range	100 Ω to 100 M Ω		300 Ω to 3 M Ω	300 Ω to 3 M Ω	1 Ω 100 M Ω	
	Resolution:	0.1 m Ω to 100 Ω		1 m Ω to 10 Ω	10 m Ω to 100 Ω	1 $\mu\Omega$ 1000	
	Accuracy:	0.01%		.015%+20 m Ω -.23%+800 Ω	0.02%+60 m Ω -1.3%+1 k Ω	0.0075 + 0.0006	
Frequency							
	Range:	20 Hz to 1 MHz		15 Hz : 1MHz	15 Hz : 1MHz	3 Hz : 300kHz	
	Accuracy:	0.01%		0.05%+0.02 Hz	0.05%+0.02 Hz	0.01	(% of reading)
RTD (Pt 100)							
	Range	-200 °C		-200 °C 600 °C	-200 °C 600 °C	-200 °C 850 °C	plugin module
	Resolution:	0.001 °C		0.03 °C	0.03 °C	0.03 °C	
	Accuracy:	0.016 °C		0.25 °C	0.16 °C	0.16 °C	
J Thermocouples							
	Range	-200 to 1,000		100 to 760	100 to 760	-200°C : 760°C	
	Resolution:	0.01 °C		0.2 °C	0.2 °C	0.01°C	
	Accuracy:	0.53 °C		0.70 °C	0.70 °C	0.12 °C	
K Thermocouples							
	Range	-200 °C to 1,000 °C		-100 to 1372	-100 to 1372	-200°C : 1372°C	
	Resolution:	0.01 °C		0.3 °C	0.3 °C	0.001°C	
	Accuracy:	0.60 °C		0.80 °C	0.80 °C	0.02 °C	
T Thermocouples							
	Range	-270 °C to 400 °C		100 to 400	100 to 400	-200°C : 400°C	
	Resolution:	0.01 °C		0.2 °C	0.2 °C	0.001°C	
	Accuracy:	0.62 °C		0.70 °C	0.70 °C	0.2 °C	
Other Thermocouple types							
		R, S, N, E, B, C, D, G, L, M, U, W		B, C, E, L, N, R, S, U	B, C, E, L, N, R, S, U	N, E, R, S, B	
Channel Capacity							
	Analog	22 to 66 channels 8 Digital I/O & 6 Alarm	20 : 120 digital input and outputs channels, 8 double pole single throw relay channels, a totalizer input, and a totalizer enable input.			80	
	Inputs:	Outputs (TTL)	1			Yes	
	Totalizer:	1	1			Yes	
Internal memory							
		57,000 scans	PC Card				
		1000 setup files	1.7 M				
Added feature						ACI	
						100 μ A : 3A	
						Capacitance	
						1 nF : 100 μ F	
						Diode	
						10 V	
						Digitize	
						RF Switching	
			Main frame	Per Plugin	Per Plugin		

<https://www.tek.com/en/products/keithley/digital-multimeter/keithley-daq6510>

Continue -

The following DAQ SKU Obsolete Effective Date 21-Apr-22

Item No	Item Desc	Prd Fam	Mod Grp	Mkt Mod	Obsolete Effective Date
4385550	HYDRA 2638A DATA ACQUISITION SYSTEM, 60 CHANNEL, 220V, CN/AU LINE CORD	DATA	HYDRA	2638	21-Apr-22
4385458	HYDRA 2638A DEMO SYSTEM, 20 CHANNEL, 120V	DATA	HYDRA	2638	21-Apr-22
4385464	HYDRA 2638A DEMO SYSTEM, 20 CHANNEL, 220V	DATA	HYDRA	2638	21-Apr-22
4385523	HYDRA 2638A DEMO SYSTEM, 20 CHANNEL, 240V	DATA	HYDRA	2638	21-Apr-22
4385366	HYDRA 2638A DATA ACQUISITION SYSTEM, 60 CHANNEL, 120V, CAL CERT	DATA	HYDRA	2638	21-Apr-22
4385375	HYDRA 2638A DATA ACQUISITION SYSTEM, 60 CHANNEL, 220V, CAL CERT	DATA	HYDRA	2638	21-Apr-22
4385435	HYDRA 2638A DATA ACQUISITION SYSTEM, 60 CHANNEL, 240V, CAL CERT	DATA	HYDRA	2638	21-Apr-22
4385545	HYDRA 2638A DATA ACQUISITION SYSTEM, 40 CHANNEL, 220V, CN/AU LINE CORD	DATA	HYDRA	2638	21-Apr-22
4410388	HYDRA 2638A DATA ACQUISITION SYSTEM, 60 CHANNEL, 120V	DATA	HYDRA	2638	21-Apr-22
4410395	HYDRA 2638A DATA ACQUISITION SYSTEM, 60 CHANNEL, 220V	DATA	HYDRA	2638	21-Apr-22
4410407	HYDRA 2638A DATA ACQUISITION SYSTEM, 60 CHANNEL, 240V	DATA	HYDRA	2638	21-Apr-22
4385184	HYDRA 2638A DATA ACQUISITION SYSTEM, 40 CHANNEL, 120V, CAL CERT	DATA	HYDRA	2638	21-Apr-22
4385191	HYDRA 2638A DATA ACQUISITION SYSTEM, 40 CHANNEL, 220V, CAL CERT	DATA	HYDRA	2638	21-Apr-22
4385252	HYDRA 2638A DATA ACQUISITION SYSTEM, 40 CHANNEL, 240V, CAL CERT	DATA	HYDRA	2638	21-Apr-22
4385447	HYDRA 2638A DEMO SYSTEM, 20 CHANNEL, 100V	DATA	HYDRA	2638	21-Apr-22
4410342	HYDRA 2638A DATA ACQUISITION SYSTEM, 40 CHANNEL, 120V	DATA	HYDRA	2638	21-Apr-22
4410356	HYDRA 2638A DATA ACQUISITION SYSTEM, 40 CHANNEL, 220V	DATA	HYDRA	2638	21-Apr-22
4410363	HYDRA 2638A DATA ACQUISITION SYSTEM, 40 CHANNEL, 240V	DATA	HYDRA	2638	21-Apr-22
4385353	HYDRA 2638A DATA ACQUISITION SYSTEM, 60 CHANNEL, 100V, CAL CERT	DATA	HYDRA	2638	21-Apr-22
4965557	2638A HYDRA SERIES III 40 CHANNEL DATA LOGGER, WHIRLPOOL SPECIAL	DATA	HYDRA	2638	21-Apr-22
4410374	HYDRA 2638A DATA ACQUISITION SYSTEM, 60 CHANNEL, 100V	DATA	HYDRA	2638	21-Apr-22
4385538	HYDRA 2638A DATA ACQUISITION SYSTEM, 20 CHANNEL, 220V, CN/AU LINE CORD	DATA	HYDRA	2638	21-Apr-22
4385178	HYDRA 2638A DATA ACQUISITION SYSTEM, 40 CHANNEL, 100V, CAL CERT	DATA	HYDRA	2638	21-Apr-22
4385003	HYDRA 2638A DATA ACQUISITION SYSTEM, 20 CHANNEL, 120V, CAL CERT	DATA	HYDRA	2638	21-Apr-22
4385015	HYDRA 2638A DATA ACQUISITION SYSTEM, 20 CHANNEL, 220V, CAL CERT	DATA	HYDRA	2638	21-Apr-22
4385071	HYDRA 2638A DATA ACQUISITION SYSTEM, 20 CHANNEL, 240V, CAL CERT	DATA	HYDRA	2638	21-Apr-22
4410339	HYDRA 2638A DATA ACQUISITION SYSTEM, 40 CHANNEL, 100V	DATA	HYDRA	2638	21-Apr-22
4410300	HYDRA 2638A DATA ACQUISITION SYSTEM, 20 CHANNEL, 120V	DATA	HYDRA	2638	21-Apr-22
4410317	HYDRA 2638A DATA ACQUISITION SYSTEM, 20 CHANNEL, 220V	DATA	HYDRA	2638	21-Apr-22
4410321	HYDRA 2638A DATA ACQUISITION SYSTEM, 20 CHANNEL, 240V	DATA	HYDRA	2638	21-Apr-22
4384999	HYDRA 2638A DATA ACQUISITION SYSTEM, 20 CHANNEL, 100V, CAL CERT	DATA	HYDRA	2638	21-Apr-22
4410299	HYDRA 2638A DATA ACQUISITION SYSTEM, 20 CHANNEL, 100V	DATA	HYDRA	2638	21-Apr-22
4395433	20 CHANNEL EXPANSION KIT FOR 2638A (CHINA)	DATA	HYDRA	2638	21-Apr-22
4414364	20 CHANNEL EXPANSION KIT FOR 2638A, CAL CERT	DATA	HYDRA	2638	21-Apr-22
4410434	20 CHANNEL EXPANSION KIT FOR 2638A	DATA	HYDRA	2638	21-Apr-22

Continue –

The following DATA SKU Obsolete Effective Date 21-Apr-22

Item No	Item Desc	Prd Fam	Mod Grp	Mkt Mod	Obsolete Effective Date
4410441	TRANSIT CASE	DATA	HYDRA	2638	21-Apr-22
4410515	RACK MOUNT KIT, DUAL (FULL RACK)	DATA	HYDRA	2638	21-Apr-22
4411936	RACK MOUNT KIT, DUAL (FULL RACK)	DATA	HYDRA	2638	21-Apr-22
4395416	EXTRA UNIVERSAL INPUT CONNECTOR FOR 2638A, CAL CERT	DATA	HYDRA	2638	21-Apr-22
4418309	EXTRA UNIVERSAL INPUT CONNECTOR FOR 2638A, CHINA ONLY	DATA	HYDRA	2638	21-Apr-22
4410503	RACK MOUNT KIT, SINGLE (HALF RACK)	DATA	HYDRA	2638	21-Apr-22
4411924	RACK MOUNT KIT, SINGLE (HALF RACK)	DATA	HYDRA	2638	21-Apr-22
4395425	EXTRA UNIVERSAL INPUT CONNECTOR FOR 2638A, SHILU USE ONLY	DATA	HYDRA	2638	21-Apr-22
4410418	EXTRA UNIVERSAL INPUT CONNECTOR FOR 2638A	DATA	HYDRA	2638	21-Apr-22
4410429	USB, 1GB FLASH DRIVE	DATA	HYDRA	2638	21-Apr-22
4410490	10 OHM SHUNT RESISTOR SET 10 EA, 100 MA MAX , 0.1%	DATA	HYDRA	2638	21-Apr-22
1620184	DATA LOGGING SYSTEM W/SOFTWARE	DATA	2680	2680MF	21-Apr-22
1608309	NETWORKED DATA ACQUISITION SYSTEM W/SOFTWARE	DATA	2680	2680MF	21-Apr-22
1988172	HARD CARRYING CASE FOR 2680 SERIES	DATA	2680	2680ACC	21-Apr-22
1620375	PRECISION ANALOG INPUT MODULE	DATA	2680	2680ACC	21-Apr-22
1620366	FAST ANALOG INPUT MODULE	DATA	2680	2680ACC	21-Apr-22
2075134	TREND LINK FOR 2680 SERIES WITH OPC	DATA	2680	2680ACC	21-Apr-22
4600762	TREND LINK UPGRADE FROM 4.1 TO V10	DATA	2680	2680ACC	21-Apr-22
1623031	FLUKEDAQ - 2680 SOFTWARE - EXTRA COPY	DATA	2680	2680ACC	21-Apr-22
1777577	RACK MOUNT KIT FOR 268X SERIES	DATA	2680	2680ACC	21-Apr-22
2768703	FLUKE DAQ WITH OPC UPGRADE	DATA	2680	2680ACC	21-Apr-22
1642494	PC MEMORY CARD TYPE II, 1G ATA FLASH	DATA	2680	2680ACC	21-Apr-22
4615624	UPGRADE FROM FLUKEDAQ LITE TO FULL VERSION	DATA	2680	2680ACC	21-Apr-22
1631575	INPUT MODULE W/O TERMINAL STRIPS	DATA	2680	2680ACC	21-Apr-22
4600755	FLUKEDAQ SOFTWARE LITE VERSION	DATA	2680	2680ACC	21-Apr-22
1672604	BLANK MODULE	DATA	2680	2680ACC	21-Apr-22

Continue -

The following 88DMM SKU Obsolete Effective Date 21-Apr-22

Item No	Item Desc	Prd Fam	Mod Grp	Mkt Mod	Obsolete Effective Date
4587176	ACCESSORY KIT W/CASE FOR 884X MULTIMETER	GPT	88DMM	884XAC	21-Apr-22
2675398	6.5 DIGIT PRECISION DMM, SALES DEMO KIT	GPT	88DMM	884X	21-Apr-22
2675344	6.5 DIGIT PRECISION MULTIMETER, SW & CABLE	GPT	88DMM	884X	21-Apr-22
2675359	6.5 DIGIT PRECISION DMM, CERT, SW & CABLE	GPT	88DMM	884X	21-Apr-22
2675367	6.5 DIGIT PRECISION MULTIMETER, SW & CABLE	GPT	88DMM	884X	21-Apr-22
2675371	6.5 DIGIT PRECISION MULTIMETER, SW & CABLE	GPT	88DMM	884X	21-Apr-22
2675380	6.5 DIGIT PRECISION MULTIMETER, SW & CABLE	GPT	88DMM	884X	21-Apr-22
2722701	6.5 DIGIT PRECISION MULTIMETER, CERT, SW & CABLE	GPT	88DMM	884X	21-Apr-22
2722712	6.5 DIGIT PRECISION MULTIMETER, CERT, SW & CABLE	GPT	88DMM	884X	21-Apr-22
2722720	6.5 DIGIT PRECISION MULTIMETER, CERT, SW & CABLE	GPT	88DMM	884X	21-Apr-22
4389847	FACTORY RECOND, 6.5 DIGIT PRECISION DMM, CERT, SW & CABLE	GPT	88DMM	884X	21-Apr-22
4389864	FACTORY RECOND, 6.5 DIGIT PRECISION MULTIMETER, SW & CABLE	GPT	88DMM	884X	21-Apr-22
3095139	6.5 DIGIT PRECISION DMM, 25PPM USBMEM CERT GSA	GPT	88DMM	884X	21-Apr-22
4389858	FACTORY RECOND, 6.5 DIGIT PRECISION DMM, 25PPM USBMEM CERT GSA	GPT	88DMM	884X	21-Apr-22
2454021	6.5 DIGIT PRECISION MULTIMETER, 24PPM USBMEM	GPT	88DMM	884X	21-Apr-22
2577376	6.5 DIGIT PRECISION MULTIMETER, 24PPM USBMEM	GPT	88DMM	884X	21-Apr-22
2577383	6.5 DIGIT PRECISION MULTIMETER, 24PPM USBMEM	GPT	88DMM	884X	21-Apr-22
2577390	6.5 DIGIT PRECISION MULTIMETER, 24PPM USBMEM	GPT	88DMM	884X	21-Apr-22
2675289	6.5 DIGIT PRECISION DMM, 24PPM USBMEM	GPT	88DMM	884X	21-Apr-22
2720707	6.5 DIGIT PRECISION DMM, 24PPM USBMEM	GPT	88DMM	884X	21-Apr-22
2720718	6.5 DIGIT PRECISION DMM, 24PPM USBMEM	GPT	88DMM	884X	21-Apr-22
2720729	6.5 DIGIT PRECISION DMM, 24PPM USBMEM	GPT	88DMM	884X	21-Apr-22
2722513	6.5 DIGIT DMM, 24PPM USBMEM 615-9978	GPT	88DMM	884X	21-Apr-22
4389820	FACTORY RECOND, 6.5 DIGIT PRECISION MULTIMETER, 24PPM USBMEM	GPT	88DMM	884X	21-Apr-22
4389835	FACTORY RECOND, 6.5 DIGIT PRECISION DMM, 24PPM USBMEM	GPT	88DMM	884X	21-Apr-22
2675292	6.5 DIGIT PRECISION MULTIMETER, SW & CABLE	GPT	88DMM	884X	21-Apr-22
2675303	6.5 DIGIT PRECISION DMM, CERT, SW & CABLE	GPT	88DMM	884X	21-Apr-22
2675315	6.5 DIGIT PRECISION MULTIMETER, SW & CABLE	GPT	88DMM	884X	21-Apr-22
2675326	6.5 DIGIT PRECISION MULTIMETER, SW & CABLE	GPT	88DMM	884X	21-Apr-22
2675332	6.5 DIGIT PRECISION MULTIMETER, SW & CABLE	GPT	88DMM	884X	21-Apr-22
2722675	6.5 DIGIT PRECISION MULTIMETER, CERT, SW & CABLE	GPT	88DMM	884X	21-Apr-22
2722682	6.5 DIGIT PRECISION MULTIMETER, CERT, SW & CABLE	GPT	88DMM	884X	21-Apr-22
2722694	6.5 DIGIT PRECISION MULTIMETER, CERT, SW & CABLE	GPT	88DMM	884X	21-Apr-22

Continue -

The following 88DMM SKU Obsolete Effective Date 21-Apr-22

Item No	Item Desc	Prd Fam	Mod Grp	Mkt Mod	Obsolete Effective Date
4389796	FACTORY RECOND, 6.5 DIGIT PRECISION DMM, CERT, SW & CABLE	GPT	88DMM	884X	21-Apr-22
4389812	FACTORY RECOND, 6.5 DIGIT PRECISION MULTIMETER, SW & CABLE	GPT	88DMM	884X	21-Apr-22
4482113	6.5 DIGIT PRECISION MULTIMETER, 24PPM USBMEM	GPT	88DMM	884X	21-Apr-22
3095121	6.5 DIGIT PRECISION MULTIMETER, 35 PPM CERT GSA	GPT	88DMM	884X	21-Apr-22
4389801	FACTORY RECOND, 6.5 DIGIT PRECISION MULTIMETER, 35 PPM CERT GSA	GPT	88DMM	884X	21-Apr-22
2441853	6.5 DIGIT PRECISION MULTIMETER, 35PPM	GPT	88DMM	884X	21-Apr-22
2577341	6.5 DIGIT PRECISION MULTIMETER, 35PPM	GPT	88DMM	884X	21-Apr-22
2577352	6.5 DIGIT PRECISION MULTIMETER, 35PPM	GPT	88DMM	884X	21-Apr-22
2577365	6.5 DIGIT PRECISION MULTIMETER, 35PPM	GPT	88DMM	884X	21-Apr-22
2675277	6.5 DIGIT PRECISION MULTIMETER, 35PPM CERT	GPT	88DMM	884X	21-Apr-22
2720674	6.5 DIGIT PRECISION MULTIMETER, 35PPM CERT	GPT	88DMM	884X	21-Apr-22
2720688	6.5 DIGIT PRECISION MULTIMETER, 35PPM CERT	GPT	88DMM	884X	21-Apr-22
2720695	6.5 DIGIT PRECISION MULTIMETER, 35PPM CERT	GPT	88DMM	884X	21-Apr-22
2722456	6.5 DIGIT MULTIMETER, 35PPM 615-9984	GPT	88DMM	884X	21-Apr-22
4389770	FACTORY RECOND, 6.5 DIGIT PRECISION MULTIMETER, 35PPM	GPT	88DMM	884X	21-Apr-22
4389781	FACTORY RECOND, 6.5 DIGIT PRECISION MULTIMETER, 35PPM CERT	GPT	88DMM	884X	21-Apr-22
4482108	6.5 DIGIT PRECISION MULTIMETER, SW & CABLE	GPT	88DMM	884X	21-Apr-22
4482077	6.5 DIGIT PRECISION MULTIMETER, SW & CABLE	GPT	88DMM	884X	21-Apr-22
4482061	6.5 DIGIT PRECISION MULTIMETER 35PPM	GPT	88DMM	884X	21-Apr-22

Continue -

The following 88DMM SKU Obsolete Effective Date 21-Apr-22

Item No	Item Desc	Item Type	UOM	Prd Grp	Prd Fam	Mod Grp	Mkt Mod	Obsolete Effective Date
4410441	TRANSIT CASE		EA	C	DATA	HYDRA	2638	21-Apr-22
4410515	RACK MOUNT KIT, DUAL (FULL RACK)		EA	C	DATA	HYDRA	2638	21-Apr-22
4411936	RACK MOUNT KIT, DUAL (FULL RACK)		EA	C	DATA	HYDRA	2638	21-Apr-22
4395416	EXTRA UNIVERSAL INPUT CONNECTOR FOR 2638A, CAL CERT		EA	C	DATA	HYDRA	2638	21-Apr-22
4418309	EXTRA UNIVERSAL INPUT CONNECTOR FOR 2638A, CHINA ONLY		EA	C	DATA	HYDRA	2638	21-Apr-22
4410503	RACK MOUNT KIT, SINGLE (HALF RACK)		EA	C	DATA	HYDRA	2638	21-Apr-22
4411924	RACK MOUNT KIT, SINGLE (HALF RACK)		EA	C	DATA	HYDRA	2638	21-Apr-22
4395425	EXTRA UNIVERSAL INPUT CONNECTOR FOR 2638A, SHILU USE ONLY		EA	C	DATA	HYDRA	2638	21-Apr-22
4410418	EXTRA UNIVERSAL INPUT CONNECTOR FOR 2638A		EA	C	DATA	HYDRA	2638	21-Apr-22
4410429	USB, 1GB FLASH DRIVE		EA	C	DATA	HYDRA	2638	21-Apr-22
4410490	10 OHM SHUNT RESISTOR SET 10 EA, 100 MA MAX , 0.1%		EA	C	DATA	HYDRA	2638	21-Apr-22
1620184	DATA LOGGING SYSTEM W/SOFTWARE		EA	C	DATA	2680	2680MF	21-Apr-22
1608309	NETWORKED DATA ACQUISITION SYSTEM W/SOFTWARE		EA	C	DATA	2680	2680MF	21-Apr-22
1988172	HARD CARRYING CASE FOR 2680 SERIES		EA	C	DATA	2680	2680ACC	21-Apr-22
1620375	PRECISION ANALOG INPUT MODULE		EA	C	DATA	2680	2680ACC	21-Apr-22
1620366	FAST ANALOG INPUT MODULE		EA	C	DATA	2680	2680ACC	21-Apr-22
2075134	TREND LINK FOR 2680 SERIES WITH OPC		EA	C	DATA	2680	2680ACC	21-Apr-22
4600762	TREND LINK UPGRADE FROM 4.1 TO V10		EA	C	DATA	2680	2680ACC	21-Apr-22
1623031	FLUKEDAQ - 2680 SOFTWARE - EXTRA COPY		EA	C	DATA	2680	2680ACC	21-Apr-22
1777577	RACK MOUNT KIT FOR 268X SERIES		EA	C	DATA	2680	2680ACC	21-Apr-22
2768703	FLUKE DAQ WITH OPC UPGRADE		EA	C	DATA	2680	2680ACC	21-Apr-22
1642494	PC MEMORY CARD TYPE II, 1G ATA FLASH		EA	C	DATA	2680	2680ACC	21-Apr-22
4615624	UPGRADE FROM FLUKEDAQ LITE TO FULL VERSION		EA	C	DATA	2680	2680ACC	21-Apr-22
1631575	INPUT MODULE W/O TERMINAL STRIPS		EA	C	DATA	2680	2680ACC	21-Apr-22
4600755	FLUKEDAQ SOFTWARE LITE VERSION		EA	C	DATA	2680	2680ACC	21-Apr-22
1672604	BLANK MODULE		EA	C	DATA	2680	2680ACC	21-Apr-22

Fluke Calibration truly values your business, and we are readily available to help evaluate your needs and provide new product recommendations. Our Customer Care team can quickly answer your questions and be reached at 1-877-355-3225. Product details are also available on our Fluke Calibration website at www.flukecal.com.

Bill Gaviria

Bill Gaviria | Program Product Manager | Electrical/RF | flukecal.com
 Fluke Calibration | 6920 Seaway Blvd | MS 201E | Everett, WA 98203
 Office: +425.446.6031 | Mobile: +321.626.7845 | Bill.gaviria@flukecal.com

FLUKE®

Calibration

"Enabling technology advancement through the science of precision measurement."