Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Plain door S3X 316L 1200x800mm

NSYDS3X128H

Main

Range	PanelSeT
Accessory / separate part categor	Enclosure accessory
product or component type	Door
Application	Multi-purpose
For enclosure nominal dimensions	-
mounting location	Front
Range compatibility	PanelSeT PanelSeT S3X
Device composition	1 door locking system
Quantity per set	Set of 1

Complementary

Material	Door: stainless steel 316L
Surface finish	Scotch-Brite® brushed
lock type	Lock 3 mm double bar
Number of locks	2
Door type	Plain
Door opening side	Reversible (120 °)
Height	1200 mm
Width	800 mm
net weight	15.506 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.0 cm
Package 1 Width	81.0 cm
Package 1 Length	121.0 cm
Package 1 Weight	15.506 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	6
Package 2 Height	45.0 cm

Package 2 Width	100.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	111 92 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations