

20" (50cm) Side Screw Locking USB C Cable 10Gbps - USB 3.1 Type-C Cable - 100W (5A) Power Delivery Charging, DP Alt Mode - Dual Screw Lock - USB-C Cord Charge/Sync

**Product ID:** USB31CCSLKV50CM



#### High Performance Cable

This side screw locking USB-C 3.2 Gen 2 10Gbps cable lets you connect your USB Type-C devices for syncing, charging, and powering your devices.

The USB-C cable is also compatible with Thunderbolt 3 ports, allowing you to connect and charge your USB-C devices using your Thunderbolt 3 laptop.

#### Reliable Connection with Screw Locking USB-C

This cable features dual locking screws that can securely connect to your USB-C peripherals and can prevent accidental disconnection from your devices such as external hard drives or docking stations.

The screws are designed to fit all devices that use a standard side screw locking input, such as StarTech.com's DK31C3HDPD.

The knurled screws can easily be removed from the cable completely allowing it to be used as a standard USB-C cable if required.

#### Supports up to 100W (5A) with Power Delivery 3.0

With up to 100W (5A) of power delivery, you can power and charge a USB-C laptop, such as your Apple MacBook or Microsoft Surface Book. Simply connect the cable to your USB-C laptop and to a USB-C wall charger.

#### Deliver 8K video with DisplayPort 1.4 Alt Mode

The cable supports 8K 30Hz video with DisplayPort 1.4 and is backward compatible to connect your docking station or laptop to a monitor that supports 4K or 1080p resolutions.

#### Charge your mobile devices

When used with devices that support PD 3.0, this cable charges up to 20V and 5A for a maximum of 100W. It can decrease your charge time and make sure your mobile devices are ready, whenever you need them.

#### Quality Build

This cable is constructed with durable long-lasting, flexible TPE jacket and strain relief. It has been tested to withstand 4000+ bends. It is built with aluminum-mylar foil with 85% braid coverage and EMI shielding for improved signal integrity.

The USB31CCSLKV50CM from StarTech.com is backed by a 2-year warranty for guaranteed reliability.

## Certifications, Reports and Compatibility



## Applications

### Features

- **HIGH PERFORMANCE CABLE:** The 20" (50cm) Side Screw Locking USB C to C cable complies with SuperSpeed USB 3.2 Gen 2 (10Gbps); USB-C cable supports DisplayPort 1.4 Alt mode up to 8K 30Hz & up to 100W (5A) Power Delivery 3.0; Thunderbolt 3 compatible
- **DURABLE BUILD:** Locking USB C Cable is tested to withstand 10,000+ insertions & 4000+ bend angle of +/- 60; Long lasting flexible TPE jacket & strain relief; TPE is non-toxic, halogen free & RoHS certified for environmental sustainability;
- **QUALITY CONSTRUCTION:** 32 AWG conductors; Al-Mylar foil with 85% Braid coverage EMI Shield for improved signal integrity; M2 screw (1.2"/30.5mm long) with knurled grip for easy installation/removal; Charging USB C Cord works with USB 3.2 & earlier versions
- **APPLICATIONS:** USB Type-C cable for docking stations w/ dual side locking USB C port like DK31C3HDPD; Removable screw for hard drive enclosures & external storage devices; Charge a TB3/USBC workstation laptop MacBook/Surface Book/ThinkPad
- **SPECS:** 20 inch (50 centimeter); USB 3.2 Gen 2 (10Gbps) data transfer; PD 3.0, 20V (max), 5A (max); USB C Screw Locking Male to USB C Male; 0.19" (4.8 mm) Outer Diameter, 32 AWG; Jacket: TPE; EMI Shield: Al-Mylar Foil, Braid

---

#### Hardware

Warranty	2 Years
Connector Plating	Gold

Cable Jacket Material TPE - Thermoplastic Elastomers

Cable Shield Material Aluminum-Mylar Foil with Braid

---

**Performance**

Video Revision DisplayPort 1.4

Maximum Data Transfer Rate 10Gbps

Maximum Cable Length 1.6 ft [0.5 m]

Maximum Digital Resolutions 8K @ 30Hz

Type and Rate USB 3.2 Gen 2 - 10 Gbit/s

---

**Connector(s)**

Connector A 1 - USB 3.2 Type-C (24 pin, Gen 2, 10Gbps)

1 - USB 3.2 Type-C (24 pin, Gen 2, 10Gbps)

---

**Power**

Power Delivery 100W

---

**Environmental**

Operating Temperature 0C to 50C (32F to 122F)

Storage Temperature -20C to 70C (-4F to 158F)

Humidity 0% to 95% (non-condensing) at 25C

---

**Physical Characteristics**

Color Gray and Black

Connector Style Straight

Wire Gauge 30/32 AWG

Cable Length 1.6 ft [0.5 m]

Cable OD 0.2 in [4.8 mm]

Product Length 19.7 in [50.0 cm]

Product Width 0.8 in [2.0 cm]

Product Height	0.3 in [0.7 cm]
Weight of Product	1.0 oz [29.0 g]

---

**Packaging Information**

Package Quantity	1
Package Length	8.7 in [22.0 cm]
Package Width	4.9 in [12.5 cm]
Package Height	0.3 in [6.7 mm]
Shipping (Package) Weight	1.2 oz [34.0 g]

---

**What's in the Box**

Included in Package	1 - 50 cm Side Screw Locking USB-C Gen 2 10Gbps Cable
---------------------	---

---

***\*Product appearance and specifications are subject to change without notice.***