

3m USB 2.0 A to Left Angle B Cable - M/M

Product ID: USBAB3ML



The USBAB3ML 3-meter USB printer cable features one USB-A male connector and one left-angle USB-B male connector, providing a high-quality connection to USB 2.0 peripherals and enabling installation in narrow spaces.

Constructed of only top quality materials and expertly designed for durability, this angled USB cable is backed by StarTech.com's Lifetime Warranty.

As an alternative, StarTech.com also offers a 3m USB 2.0 A to Right Angle B Cable (USBAB3MR), which provides the same convenience as this left-angled cable, but allows you to connect to your USB device from the opposite direction.

## **Certifications, Reports and Compatibility**



## Applications

• Connecting USB 2.0 devices such as printers, scanners or external USB hard drives, even in hard-to-reach areas and narrow spaces

## Features

- 1x USB-A male connector
- 1x Left-angled USB-B male connector



- Aluminum-Mylar Foil with Braided Shielding
- Supports USB 2.0 data transfer rates up to 480 Mbps

ng Ni aterial P aterial Al 1	fetime ickel VC - Polyvinyl Chloride uminum-Mylar Foil with Braid - USB 2.0 Type-A (4 pin, 480Mbps) - USB B (4 pin) 0C to 60C (-4F to 140F)
ng Ni aterial P aterial Al 1	ickel VC - Polyvinyl Chloride uminum-Mylar Foil with Braid - USB 2.0 Type-A (4 pin, 480Mbps) - USB B (4 pin)
aterial P aterial Al 1	VC - Polyvinyl Chloride uminum-Mylar Foil with Braid - USB 2.0 Type-A (4 pin, 480Mbps) - USB B (4 pin)
aterial Al	uminum-Mylar Foil with Braid - USB 2.0 Type-A (4 pin, 480Mbps) - USB B (4 pin)
1	- USB 2.0 Type-A (4 pin, 480Mbps) - USB B (4 pin)
1	- USB B (4 pin)
1	- USB B (4 pin)
erature -2	0C to 60C (-4F to 140F)
erature -2	0C to 60C (-4F to 140F)
rature -1	0C to 30C (14F to 86F)
30	)%-75% RH
BI	ack
St	raight to Left Angle
24	1/28 AWG
9.	8 ft [3 m]
9.	8 ft [3.0 m]
0.	0 in [0.0 cm]
0.	0 in [0.0 cm]
ct 3.	2 oz [89.5 g]
	30 BI 24 9. 9. 0. 0.

Information

Package Quantity

1



What's in the Box	Included in Package	1 - 3m USB 2.0 A to Left Angle B Cable - M/M
	Shipping (Package) Weight	3.4 oz [95.0 g]
	Package Height	0.0 in [0.1 mm]
	Package Width	4.9 in [12.5 cm]
	Package Length	8.9 in [22.5 cm]

\*Product appearance and specifications are subject to change without notice.

