

Portable 4 Port SuperSpeed Mini USB 3.0 Hub - 5Gbps - Black

Product ID: ST4300MINU3B



The ST4300MINU3B Portable 4 Port SuperSpeed Mini USB 3.2 Gen 1 Hub (Black) lets you expand your USB connectivity by turning a single USB 3.2 Gen 1 port into four external USB 3.2 Gen 1 ports. The integrated cable design makes this mini USB hub the perfect accessory for your Mac / PC notebook or Ultrabook computer.

The 4 Port USB 3.2 Gen 1 hub supports USB 3.2 Gen 1 data bandwidth (5 Gbps - up to 10x more than USB 2.0) and is backward compatible with USB 2.0 and 1.1 devices, ensuring flawless performance from all of your USB peripherals/devices, regardless of their age.

Ideal for home and business users who require portability, the external USB 3.2 Gen 1 hub is USB-powered and features a rugged, compact design with a built-in cable so no additional cables are needed to connect the hub to your system.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

## Certifications, Reports and Compatibility















## **Applications**

• Ideal for virtually all USB 3.2 Gen 1 equipped laptops, such as your Ultrabook, Dell Precision 5510, Dell XPS 13,



Dell XPS 15, and Dell Precision 3510

- Make hard to access USB ports more accessible, by being able to position the hub anywhere the cable will reach
- Separate tightly packed USB ports, to better accommodate larger USB plugs or prevent overcrowding

## **Features**

- Four USB type-A ports that can be accessed simultaneously
- SuperSpeed USB 3.2 Gen 1 compliant, with data transfer rates up to 5 Gbps
- Backward compatible with USB 2.0 and USB 1.0/1.1 specifications and devices
- Compact and portable design with built-in cable
- Plug-and-Play and hot-swap compatible

Hardware		
	Warranty	2 Years
	USB-C Device Port(s)	No
	USB-C Host Connection	No
	Fast-Charge Port(s)	No
	Ports	4
	Interface	USB 3.2 Gen 1 (5Gbps)
	Bus Type	USB 3.2 Gen 1 (5Gbps)
	Chipset ID	Realtek - RTS5411
Performance		
	Maximum Data Transfer Rate	5 Gbps (USB 3.2 Gen 1)
	Type and Rate	USB 3.2 Gen 1 - 5 Gbit/s
	MTBF	40,103 hours
Connector(s)		
	External Ports	4 - USB Type-A (9 pin, 5 Gbps)
		1 - USB Type-A (9 pin, 5 Gbps)





Software

OS Compatibility OS Independent; No additional drivers or software required

Special Notes / Requirements

System and Cable Requirements

Available USB Port

**Indicators** 

LED Indicators 1 - Power

**Power** 

Power Source USB-Powered

Input Voltage 5V DC

Output Voltage 5 DC

**Environmental** 

Operating Temperature 0C to 40C (32F to 104F)

Storage Temperature -20C to 60C (-4F to 140F)

Humidity 0~80% RH

Physical Characteristics

Color Black

Form Factor Compact

Material Plastic

Cable Length 5.7 in [145 mm]

Product Length 3.1 in [8.0 cm]

Product Width 1.4 in [3.6 cm]

Product Height 0.6 in [1.4 cm]

Weight of Product 1.3 oz [37.0 g]

Packaging Information

Package Quantity

Package Length 6.2 in [15.8 cm]



	Package Width	5.3 in [13.4 cm]
	Package Height	1.6 in [4.0 cm]
	Shipping (Package) Weight	4.2 oz [118.0 g]
What's in the Box	Included in Package	1 - USB 3.0 hub
		1 - quick-start guide

<sup>\*</sup>Product appearance and specifications are subject to change without notice.