

1332086

https://www.phoenixcontact.com/us/products/1332086

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



HDMI cable, degree of protection: IP20, cable length: 7.5 m, number of positions: 19, material: LCP, HDMI High Speed

## Your advantages

- · HDMI high-speed patch cables
- · Integrated network transmission thanks to HDMI Ethernet channel
- · Reliable transmission of 4K videos

#### Commercial data

Item number	1332086
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AB14
Product key	ABNEBA
GTIN	4063151629328
Weight per piece (including packing)	631.1 g
Weight per piece (excluding packing)	631.1 g
Customs tariff number	85444290
Country of origin	CN



1332086

https://www.phoenixcontact.com/us/products/1332086

## Technical data

### Product properties

Product type	Data cable preassembled
Sensor type	HDMI High Speed
Number of positions	19
Shielded	yes

### Electrical properties

Insulation resistance	100 ΜΩ
Test voltage	500 V AC
Test voltage Core/Core	500 V AC
Test voltage Core/Shield	500.00 V AC
Wave impedance	100 Ω

## Mechanical properties

#### Mechanical data

## Material specifications

Color of the housing part	black
Flammability rating according to UL 94	UL94 V0
Housing material	LCP

## Dimensions

Width	20.5 mm
Height	16 mm
Length	20.5 mm

#### Connector

#### Connection 1

Туре	Plug straight HDMI type A
Shielded	yes
Insertion/withdrawal cycles	> 10000
Insulation resistance	100 ΜΩ
Degree of protection	IP20

#### Connection 2

7	Гуре	Plug straight HDMI type A
[	Degree of protection	IP20

## Cable/line

Cable length	7.50 m



1332086

https://www.phoenixcontact.com/us/products/1332086

### PVC HDMI high speed black [HDMI]

Shielded	yes
UL AWM Style	20276
Cable type	PVC HDMI high speed black
Cable type (abbreviation)	НДМІ
External cable diameter	6.00 mm
Outer sheath, material	PVC
External sheath, color	black
Shielding	Aluminum-lined foil

## Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP20
Ambient temperature (operation)	-25 °C 85 °C
Ambient temperature (storage/transport)	-40 °C 85 °C



1332086

https://www.phoenixcontact.com/us/products/1332086

## Classifications

### **ECLASS**

	ECLASS-11.0	27061801		
	ECLASS-12.0	27061801		
	ECLASS-13.0	27060308		
FT	ETIM			
LIN				
	ETIM 9.0	EC003249		
UNSPSC				
	UNSPSC 21.0	39121400		



1332086

https://www.phoenixcontact.com/us/products/1332086

## Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com