Product data sheet

Specifications

Cover for cable duct - Width=25mm

AK2CD25

Main

Product Or Component Type	Cover
Accessory / Separate Part Categor	Cabling accessories
Range Compatibility	PanelSeT S3D PanelSeT CRN Thalassa PLA Thalassa PLS Thalassa PLM
Mounting Support	Cable duct 0.98 in (25 mm)
Quantity Per Set	Set of 8

Complementary

Colour	Grey RAL 7030)
Length	78.74 in (2000 mm)
Width	0.98 in (25 mm)
Material	PVC (polyvinyl chloride)
Net Weight	0.35 lb(US) (0.16 kg)

Environment

Ambient Air Temperature For Operation	23…140 °F (-5…60 °C)
Flame Retardance	V-0 UL 94
Fire Resistance	1760 °F (960 °C) IEC 60695-2-1/1
Standards	DIN 43659 VDE 0506 VDE 0660

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.39 in (1.000 cm)
Package 1 Width	0.98 in (2.500 cm)
Package 1 Length	78.94 in (200.500 cm)
Package 1 Weight	5.54 oz (157.000 g)
Unit Type Of Package 2	BB1
Number Of Units In Package 2	8
Package 2 Height	1.18 in (3.000 cm)

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Width	1.57 in (4.000 cm)
Package 2 Length	79.53 in (202.000 cm)
Package 2 Weight	3.40 lb(US) (1.544 kg)
Unit Type Of Package 3	P2M
Number Of Units In Package 3	520
Package 3 Height	17.72 in (45.000 cm)
Package 3 Width	78.74 in (200.000 cm)
Package 3 Length	47.24 in (120.000 cm)
Package 3 Weight	213.05 lb(US) (96.640 kg)

Contractual warranty

Warranty	18 months

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)