

# Product data sheet

Specifications

## Cover for cable duct - Width=75mm

AK2CD75



### Main

|                                   |  |
|-----------------------------------|--|
| Product Or Component Type         | Cover  |
| Accessory / Separate Part Categor | Cabling accessories  |
| Range Compatibility               | PanelSeT S3D<br>PanelSeT CRN<br>Thalassa PLA<br>Thalassa PLS<br>Thalassa PLM |
| Mounting Support                  | Cable duct 2.95 in (75 mm)   |
| Quantity Per Set                  | Set of 8   |

### Complementary

|            |                          |
|------------|--------------------------|
| Colour     | Grey RAL 7030)           |
| Length     | 78.7 in (2000 mm)        |
| Width      | 2.95 in (75 mm)          |
| Material   | PVC (polyvinyl chloride) |
| Net Weight | 0.84 lb(US) (0.38 kg)    |

### Environment

|                                       |                                   |
|---------------------------------------|-----------------------------------|
| Ambient Air Temperature For Operation | 23...140 °F (-5...60 °C)          |
| Flame Retardance                      | V-0 UL 94                         |
| Fire Resistance                       | 1760 °F (960 °C) IEC 60695-2-1/1  |
| Standards                             | VDE 0660<br>VDE 0506<br>DIN 43659 |

### Packing Units

|                              |                     |
|------------------------------|---------------------|
| Unit Type Of Package 1       | PCE                 |
| Number Of Units In Package 1 | 1                   |
| Package 1 Height             | 78.74 in (200.0 cm) |
| Package 1 Width              | 3.1 in (8.0 cm)     |
| Package 1 Length             | 1.46 in (3.7 cm)    |
| Package 1 Weight             | 14.92 oz (423.0 g)  |
| Unit Type Of Package 2       | CAR                 |
| Number Of Units In Package 2 | 8                   |
| Package 2 Height             | 1.38 in (3.5 cm)    |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |                        |
|------------------------------|------------------------|
| Package 2 Width              | 3.1 in (8.0 cm)        |
| Package 2 Length             | 78.74 in (200.0 cm)    |
| Package 2 Weight             | 7.47 lb(US) (3.39 kg)  |
| Unit Type Of Package 3       | P2M                    |
| Number Of Units In Package 3 | 960                    |
| Package 3 Height             | 47.24 in (120 cm)      |
| Package 3 Width              | 79.13 in (201 cm)      |
| Package 3 Length             | 17.72 in (45 cm)       |
| Package 3 Weight             | 846.58 lb(US) (384 kg) |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

# Sustainability

**Green Premium™ label** is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)

## Well-being performance

|  |  |
|--|--|
| <div><div>✓</div><div>Reach Free Of Svhc</div></div>         |  |
| <div><div>✓</div><div>Toxic Heavy Metal Free</div></div>     |  |
| <div><div>✓</div><div>Mercury Free</div></div>               |  |
| <div><div>✓</div><div>Rohs Exemption Information</div></div> | <div>Yes</div>   |
| <div>Reach Regulation</div>                                  | <div><a href="#">REACH Declaration</a></div>   |
| <div>Eu Rohs Directive</div>                                 | <div>Pro-active compliance (Product out of EU RoHS legal scope)</div> <div><a href="#">EU RoHS Declaration</a></div>           |
| <div>China Rohs Regulation</div>                             | <div><a href="#">China RoHS declaration</a></div> <div>Pro-active China RoHS declaration (out of China RoHS legal scope)</div> |