

https://www.phoenixcontact.com/us/products/3240633



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable duct for installation and mounting in control cabinets, white, comprising upper part and mounting base, width: 80 mm, height: 40 mm, length: 2000 mm

Your advantages

- · Predetermined breaking point enables tool-free, burr-free removal of bars
- · Thanks to its leverage and special cutting geometry, the PPS CD cable duct cutter enables easy, burr-free cutting with minimum effort
- · Easy, burr-free cutting with minimum effort using the CUTFOX-CD cable duct cutter
- · The wide, diagonal heads of the cable duct bars make it easy to fit the cover and hold it securely in place
- · Installed conductors are securely held in place by means of wire retaining clips that can be snapped onto bars on the side
- · Plastic body-bound rivets enable easy fixing of cable ducts using the rivet setting tool

Commercial data

| Item number | 3240633 |
|--------------------------------------|---------------------|
| Packing unit | 15 pc |
| Minimum order quantity | 15 pc |
| Sales key | BE74 |
| Product key | BE7433 |
| Catalog page | Page 581 (C-3-2019) |
| GTIN | 4046356629591 |
| Weight per piece (including packing) | 1,080 g |
| Weight per piece (excluding packing) | 1,080 g |
| Customs tariff number | 39259020 |
| Country of origin | DE |



https://www.phoenixcontact.com/us/products/3240633



Technical data

Product properties

| | Product type | Wiring duct |
|----|-----------------------|-------------|
| Co | onnection data | |
| | Nominal cross section | 1557 mm² |

Dimensions

| Dimensional drawing | 6,6 |
|---------------------|---------|
| Width | 80 mm |
| Height | 2000 mm |
| Depth | 40 mm |
| Length | 2000 mm |

Material specifications

| Color | white |
|--|-----------|
| Material | PVC |
| Flammability rating according to UL 94 | V0 |
| Components | Lead-free |

Cable/line

| Halogen-free | no |
|--------------|----|

Environmental and real-life conditions

Ambient conditions


| Ambient temperature (operation) | -5 °C 60 °C |
|---------------------------------|-------------|
|---------------------------------|-------------|

3240633

https://www.phoenixcontact.com/us/products/3240633



Drawings



Base perforation according to DIN EN 50085



https://www.phoenixcontact.com/us/products/3240633



Approvals

🎨 To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/3240633



Approval ID: 248269



UL Recognized

Approval ID: FILE E 328576



VDE Zeichengenehmigung Approval ID: 40027969



EAC

Approval ID: RU C-DE.PB68.W.00478



https://www.phoenixcontact.com/us/products/3240633



Classifications

ECLASS

| ı | ECLASS-11.0 | 27400703 |
|------|-------------|----------|
| I | ECLASS-12.0 | 27400703 |
| I | ECLASS-13.0 | 27400703 |
| ETIM | Л | |
| I | ETIM 9.0 | EC000012 |
| UNS | SPSC: | |



https://www.phoenixcontact.com/us/products/3240633



Environmental product compliance

| EU R | oHS |
|------|-----|
|------|-----|

| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|---|--|
| China RoHS | |
| Environment friendly use period (EFUP) | EFUP-E |
| | No hazardous substances above the limits |
| EU REACH SVHC | |
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |



https://www.phoenixcontact.com/us/products/3240633



Accessories

RVT-PA 4 - Fastening clip

3240498

https://www.phoenixcontact.com/us/products/3240498



Plastic body-bound rivet, for hole diameter of 4 mm and a material thickness of 1.5 \dots 6 mm

RVT-PA 6 - Fastening clip

3240499

https://www.phoenixcontact.com/us/products/3240499



Plastic body-bound rivet, for hole diameter of 6 mm and a material thickness of 1.5 \dots 6 mm



https://www.phoenixcontact.com/us/products/3240633



CD COVER 80 WH - Cover profile

3240649

https://www.phoenixcontact.com/us/products/3240649



Cover for cable duct, white, width: 80 mm, length: 2000 mm

UNIFOX-RVT P 4 - Tool

1212478

https://www.phoenixcontact.com/us/products/1212478



Rivet setting tool, for use with RVT-PA 4 plastic body-bound rivets



https://www.phoenixcontact.com/us/products/3240633



UNIFOX-RVT P 6 - Tool

1212509

https://www.phoenixcontact.com/us/products/1212509



Rivet setting tool, for use with RVT-PA 6 plastic body-bound rivets

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com