TE Internal #: 320788

Splices, Closed End Splice, 18-8 AWG Wire Size, .8-8 mm<sup>2</sup> Wire

Size, 10.32 – 20.82 kcmil Wire Size, 10320 – 20820 CMA Wire Size,

Copper, Green

View on TE.com >





Terminals & Splices > Splices











Wire Size: 10.32 – 20.82 kcmil

Sealable: No

Compatible Insulation Diameter Range: 12.7 mm [.5 in]

### **Features**

### **Product Type Features**

Splice Accessory Type	Splice
Sealable	No
Splice Type	Closed End Splice
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Insulation Support

## **Configuration Features**

С	Compatible With Wire & Cable Type	Discrete Wire	

## **Body Features**

Product Weight	4.079 g
Primary Product Color	Green

#### **Contact Features**

Terminal Plating Material	Tin
Contact Base Material	Copper
Barrel Type	Closed

### **Mechanical Attachment**

	Wire Insulation Support	With
--	-------------------------	------



Dimensions		
Wire Size	10320 – 20820 CMA	
Compatible Insulation Diameter Range	12.7 mm[.5 in]	
Terminal Material Thickness	1.09 mm[.043 in]	
Product Length	40.01 mm[1.575 in]	
Usage Conditions		
Insulation Option	Fully Insulated	
Operating Temperature Range	105 °C[221 °F]	
Operation/Application		
Compatible With Wire Base Material	Copper	
Identification Marking		
Splice Marking	ECV	
Industry Standards		
Government Qualified Splice	No	
Packaging Features		
Packaging Quantity	250	
Packaging Method	Loose Piece	

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**






# Customers Also Bought




TE Part #814717-000 222A142-3/42-0



TE Part #281709-4 PLUG HE13 IDC 90 4 P AWG 24



TE Part #52935-2 TERMINAL,PIDG SPR SPD 16-14 6



TE Part #53440-2 ELECTRO-TAP, 20-18 AWG RUN&TAP



TE Part #3-641438-4 04P MTA156 PSTD CONN ASSY WHT



TE Part #61624-1 RING CRIMP 16-12 AWG BR



TE Part #3-644466-8 08P MTA156 CONN ASSY 20AWG YEL



TE Part #640251-2 02P SL156 HSG W/O RAMP NATL





### **Documents**

### **Product Drawings**

SPLICE,CE 18-8

English

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_320788\_U.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_320788\_U.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_320788\_U.2d\_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## **Product Specifications**

**Application Specification** 

English

#### **Instruction Sheets**

Instruction Sheet (U.S.)

English

Instruction Sheet (U.S.)

English

## Agency Approvals

Agency Approval Document

English