

#### **AMPOWER**

TE Internal #: 324469

Splices, Butt Splice, 1.252 in [31.8 mm] Barrel Inside Diameter, 800 kcmil Wire Size, 750000 - 850000 CMA Wire Size, Copper, Gray

View on TE.com >



Terminals & Splices > Splices > AMPOWER Butt Splice







Splice Type: Butt Splice

Sealable: No

Barrel Inside Diameter: 31.8 mm [ 1.252 in ]

Wire Size: **750000 - 850000 CMA** 

### All AMPOWER Butt Splice (18)

### **Features**

### **Product Type Features**

Splice
Butt Splice
No
Stranded
Single to Single
Discrete Wire
Gray
150 µin
Tin
Copper
Closed

Crimp

Termination Method to Wire & Cable

**Termination Features** 



Wire Insulation Support	Without
Dimensions	
	1.518 in
Barrel Inside Diameter	31.8 mm[1.252 in]
Wire Size	750000 - 850000 CMA
Product Length	75.18 mm[2.96 in]
Usage Conditions	
Insulation Option	Uninsulated
Operation/Application	
Compatible With Wire Base Material	Copper
Industry Standards	
Compatible With Agency/Standards Products	UL
Compatible With Approved Standards Products	UL E13288
Packaging Features	
Packaging Quantity	25

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent



chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



# Customers Also Bought









TE Part # 4-1393159-8 20C318=SPRING,HOLD-DOWN,K10,.0

### **Documents**

**Product Drawings** 

SPLICE, AMPOWER BUTT 800MCM

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 



ENG\_CVM\_CVM\_324469\_AA.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_324469\_AA.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_324469\_AA.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

### Datasheets & Catalog Pages

AMPOWER Terminals and Splices Flyer

English

Agency Approvals

**UL Report** 

English