



Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Terminal Type: Pin

Wire Size: 2048 – 5178 CMA

Barrel Inside Diameter: 2.24 mm [.088 in]

Features

Product Type Features

Compatible With Discrete Wire Type	Stranded
------------------------------------	----------

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Contact Features

Crimp Wire Terminal Type	Pin
Barrel Type	Open
Terminal Plating Material	Unplated
Terminal Orientation	Straight

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	2048 – 5178 CMA
Barrel Inside Diameter	2.24 mm[.088 in]
Terminal Material Thickness	.33 mm[.013 in]
Overall Product Length	7 mm[.275 in]

Usage Conditions

--	--



Insulation Option	Uninsulated
-------------------	-------------

Packaging Features

Packaging Quantity	25000
Packaging Method	Reel

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 2150230-1
OCEAN_2.0_Applicator-E-100F

TE Part # 2150230-2
OCEAN_2.0_Applicator-E-100F

TE Part # 539688-2
MATRIZE MINI-UMNL

TE Part # 7-2150230-7
OCEAN_2.0_SPARE_PART_KIT-100F



Customers Also Bought

TE Part #6-160432-3
250 FASTON REC 20-16 AWG NPST

TE Part #42007
RING 190(4.82MM) TERMINAL 18-14 AWG TPBR

TE Part #925856-2
WIRE PIN 15.5-13.5 AWG .01 BR

TE Part #1445962-2
CONT,45A PWR PROD,STRIP,TIN

TE Part #925553-1
AM WIRE PIN 17-13 .013 BR

TE Part #5677794002
RNF-3000-9/3-6-SP

TE Part #5-928999-6
MQS0,63 Ag rec LL unseal. >0,2-0,35

TE Part #459722-3
BLADE SHEAR

TE Part #1-1338690-2
ANVIL, COMBINATION .055

TE Part #1SNA199879R0100
FEM4AP

Documents

Product Drawings
AM WIRE PIN 17-13 .013 BR

English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_926824-1_D.2d_dxf.zip
English
Customer View Model
ENG_CVM_CVM_926824-1_D.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_926824-1_D.3d_stp.zip
English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.



Product Specifications

Application Specification

English