




Terminals & Splices > Magnet Wire Terminals



Magnet Wire Terminal Type: **F-Crimp**
Compatible With Cavity Size: **Size 1**
Compatible Insulation Diameter (Max): **2.23 mm [.088 in]**
Compatible Insulation Diameter Range: **1.8 - 2.23 mm [.071 - .088 in]**
Lead Wire Size: **22 - 18 AWG**

Features

Product Type Features

Compatible With Discrete Wire Type	Magnet Wire, Solid
------------------------------------	--------------------

Body Features

Compatible With Cavity Size	Size 1
-----------------------------	--------

Contact Features

Magnet Wire Terminal Type	F-Crimp
Terminal Plating Material	Tin
Contact Underplating Material	Copper
Terminal Orientation	Straight

Termination Features

Termination Method to Wire & Cable	Crimp, Insulation Displacement (IDC)
------------------------------------	--------------------------------------

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

--	--



Terminal Height	4.75 mm[.187 in]
Compatible Insulation Diameter (Max)	2.23 mm[.088 in]
Compatible Insulation Diameter Range	1.8 - 2.23 mm[.071 - .088 in]
Lead Wire Size	.3 - .8 mm ²
Magnet Wire Size	.36 - .45 mm
Stock Thickness (Magnet Wire Side)	.33 mm[.013 in]
Product Length	11.86 mm[.466 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-65 - 150 °C[-85 - 302 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel, Reel/Carton
------------------	-------------------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability





Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 1217146-1 TERMINAL, F-CRIMP MAG-MATE	 TE Part # 63856-2 TERMINAL, F-CRIMP, MAG-MATE	 TE Part # 62609-1 MAG-MATE W/BBL 27-25 013 TPBR	 TE Part # 63039-1 MAG-MATE W/BBL 33-31 010TPBR
 TE Part # 1217459-1 TAB, MAG-MATE 059 X 032,RH 187	 TE Part # 1217460-1 TAB, MAG-MATE 059 X 032,LH 187	 TE Part # 1740698-2 MAG-MATE TERMINAL W. EXTENDED LEAF-SPRING	 TE Part # 62610-1 MAG-MATE W/BBL 24-22 013 TPBR
 TE Part # 63036-1 MAG-MATE W/BBL 30-28 013TPBR	 TE Part # 63235-1 MAG-MATE F CRMP 31-33 0126TPBR	 TE Part # 63237-1 MAG-MATE F CRMP 24-27 0126TPBR	

Also in the Series | MAG-MATE 187



Magnet Wire Terminals(18)

Customers Also Bought



Documents

Product Drawings

TERM MAG-MATE F-CRIMP 0126TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_63856-1_G.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_63856-1_G.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_63856-1_G.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Magnet Wire Terminals & Splices

English

Product Specifications

Application Specification

English