

KP HCS T-MAX K45 C4 P16 - Membrane keypad



2203571

<https://www.phoenixcontact.com/us/products/2203571>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Membrane keypad, self-adhesive, silver conduction technology, 45 keys, embossed, 4 colors, connecting cable: 77 mm, with crimp female connector, pitch: 2.54 mm, operating temperature: - 20°C ... 70°C

Your advantages

- Easy integration into HCS series electronics housings
- Membrane keypads in various sizes and colors for customized device designs
- Customization of membrane keypad via configurator

Commercial data

Item number	2203571
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AC02
Product key	ACFABF
GTIN	4055626528670
Weight per piece (including packing)	21.7 g
Weight per piece (excluding packing)	21.7 g
Customs tariff number	85365011
Country of origin	DE

KP HCS T-MAX K45 C4 P16 - Membrane keypad



2203571

<https://www.phoenixcontact.com/us/products/2203571>

Technical data

Product properties

Product type	Membrane keypad
Housing type	Handheld housing
Housing series	HCS
Product family	HCS
Number of positions	16
Pitch	2.54 mm
Technology	Conductive silver/graphite (T6/4 Cu/Ag)
Embossing	Dome embossing 11 x 11 mm
Number of socket pins	16
Number of keys	45 (9 x 5)

Dimensions

Length	77 mm (Membrane cable)
Pitch	2.54 mm
Dimensions	144 mm x 78 mm

Material specifications

Housing material	Polyester
------------------	-----------

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-20 °C ... 70 °C
Ambient temperature (storage/transport)	-40 °C ... 80 °C

Mounting

Mounting type	adhesive
---------------	----------

KP HCS T-MAX K45 C4 P16 - Membrane keypad



2203571

<https://www.phoenixcontact.com/us/products/2203571>

Classifications

ECLASS

ECLASS-11.0	27182702
ECLASS-13.0	27190605

ETIM

ETIM 9.0	EC001031
----------	----------

UNSPSC

UNSPSC 21.0	31261500
-------------	----------

KP HCS T-MAX K45 C4 P16 - Membrane keypad



2203571

<https://www.phoenixcontact.com/us/products/2203571>

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

KP HCS T-MAX K45 C4 P16 - Membrane keypad



2203571

<https://www.phoenixcontact.com/us/products/2203571>

Accessories

HCS-T MAXI 1W C C C 7035 - Electronics housing

2203142

<https://www.phoenixcontact.com/us/products/2203142>



Handheld housing, T-Maxi, light gray, consisting of two half shells with screws, front 1.1 mm recessed, with window and keypad slot

HCS-T MAXI 1W C 1 1 7035 - Electronics housing

2203143

<https://www.phoenixcontact.com/us/products/2203143>



Handheld housing, T-Maxi, light gray, consisting of two half shells, two front plates with screws, front 1.1 mm recessed, with window and keypad slot

KP HCS T-MAX K45 C4 P16 - Membrane keypad



2203571

<https://www.phoenixcontact.com/us/products/2203571>

HCS-T MAXI 1W 5AA 1 1 7035 - Electronics housing

2203144

<https://www.phoenixcontact.com/us/products/2203144>



Handheld housing T-Maxi light gray, comprising two half shells, two front lenses, screws. Front 1.1 mm recessed, with window and keyboard slot Battery compartment cover and battery contacts, for 5 AA batteries

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com