

## **Specification Sheet**

Part Number: TSR3FW-21

Tamper resistant, self-locking hidden positive latch permits quick re-entry as well as providing a secure installation of premise wire.

Fittings incorporate a minimum 1" bend radius per ANSI/TIA-568-C and 569-A standards.



Rubber-based, foam-tape adhesive with high ultimate bond strength conforms to any surface.

Flexible hinge allows the raceway to endure numerous openings without creating discoloration or stress cracking

Tee Cover, 1-3/4", 1" Bend Radius, PVC, Office White, 1/bg

Article Number 250-03210

Type TSR3-21

Color Office White (OEWH)

Quantity Per bag

Product Description HellermannTyton's low voltage raceway (TSR) is a one piece,

non-metallic, adhesive backed, latching raceway designed to aesthetically organize and route communications wires, including high speed UTP cable and fiber optic cable, from the telecom room to the

work area.

Short Description Tee Cover, 1-3/4", 1" Bend Radius, PVC, Office White, 1/bg

Global Part Name TSR3-21-PVC-WH

Material Polyvinylchloride (PVC)

Material Shortcut PVC

Flammability UL 94 V-0

Halogen Free No

UV Resistant (Yes/No) No

Operating Temperature +122°F (+50°C)

Reach Compliant (Article 33) No

ROHS Compliant Yes

Package Quantity (Imperial) 1

Package Quantity (Metric) 1

Customs Number 3925900000

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar,

uction, quality	assurance and delivery is opti	mized to bene	fit local and global
Reserved.	RoHS/WEEE Compliance	Disclaimer	Terms and Conditions
	s Reserved.	uction, quality assurance and delivery is opti is in 39 countries, with North American heado	